

Building linguistic experiments in PsychoPy: Rating task

Department of Linguistics

University of Toronto

Oct 2017

Na-Young Ryu


Building an experiment is like a building a house!

- Building an experiment using PsychoPy is like a building a house.

- 1 Plan.
- 2 Decide how many rooms.
- 3 Create rooms by adding furniture.
- 4 Hold a house warming party.



- 1 Plan.
- 2 Create *Routines* and *Loops in Flow*.
- 3 Add *Components in Routine*.
- 4 Run an experiment.



PsychoPy *builder view*

- What you need is to open the **PsychoPy builder view** and follow our step-by step tutorial on how to build an experiment. You will learn to create an experiment on the PsychoPy builder view with little-to-no experience in programming.
- If you have any questions about our tutorials, e-mail Na-Young Ryu at nayoung.ryu@mail.utoronto.ca


Download our materials for your experiments

- **Why build experiments using the PsychoPy builder?**
 - It is free and easy to generate a wide range of linguistic experiments in the *Builder* view.
 - The builder view allows you to create experiments visually, so the Python programming language is not needed.
 - Output data is automatically generated after running an experiment (e.g. xlsx, csv, text file)
 - The types of experiment, along with manuals we provide, are as follows:
 - **Word production task (auto)** - each word appears every 3 seconds.
 - **Word production task (keyboard response)** - each word appears after a participant presses the spacebar.
 - **Identification task** - participants listen to a sound and identify it among several sounds.
 - **AX discrimination task** - participants listen to two sounds and determine whether they are the same or not.
 - **Rating task** - Participants listen to sounds and rate the accuracy of sounds on a scale of 1 - 7.
 - The materials we offer are on based on **PsychoPy 1.85.2**.
 - You can install PsychoPy on your computer by downloading it from www.psychopy.org.
- **Where to download our materials for linguistic experiments**
 - We are very happy to share our linguistic experiments using the PsychoPy builder, so feel free to modify them for your own experimental purposes.
 - To download our materials for linguistic experiments, please go to:
<http://individual.utoronto.ca/rrrnny/experiments.html>

Rating Task: Goals & Procedures


- **Goals:** We provide instructions on how to create a rating experiment using the PsychoPy Builder view (Peirce 2007). This experiment is designed to ask participants to listen to sounds and rate the accuracy of sounds on a 7-point scale. This task can be modified for well-formedness rating experiments for words and sentences.
- **Procedures:** Show **Instruction 1** followed by **trial1 to show auditory stimuli and measure the accuracy of the sound** for the practice session; then you can use the same basic structure for **Instruction2** followed by **trial2** for the main session and the **“thank you” message** to participants at the end.

1. Filling out participant information




A dialog box titled 'rating' with three input fields: 'L1' containing 'K', 'gender' containing 'F', and 'participant' containing '001'. There are 'OK' and 'Cancel' buttons at the bottom.


2. Showing instructions




3. Displaying stimuli and getting responses




4. Showing instructions



5. Displaying stimuli and getting responses




6. Displaying “Thank you” message



How to build the rating task in PsychoPy?


- **Step 1:** Create a folder to store your experiment files .
 - We created a folder named “Rating Task” and then put two Excel files containing word lists and auditory stimuli for the rating task (“main_stimuli” and “practice_stimuli”).
 - We also added sound files in the “Sound” folder.
- **Step 2:** Alter your Experiment Settings (e.g. participant ID, format of output file).
- **Step 3:** Create your *Routines* (e.g. instructions, trials, “Thank you” message).
- **Step 4:** Add the *Routines* and *Loops* to the *Flow Panel*.
- **Step 5:** Add *Components* to the *Routine*.
- **Step 6:** Run an experiment.



Step 1: Folder with experiment files

word	sound
light	sound/light.wav
loud	sound/loud.wav
side	sound/side.wav
sight	sound/sight.wav

Step 2: Participant info




A screenshot of a PsychoPy dialog box titled "rating". It contains the following fields:


- L1: K
- gender: F
- participant: 001

Buttons: OK, Cancel

Step 3-5: Create Routines and loops



Step 6 : Run the experiment



Welcome.

Listen carefully to the sounds that you will hear and then rate on a scale from 1 to 7.

Try to respond as quickly and as accurately as possible.

Press spacebar to begin.

PsychoPy *Builder* interface

The screenshot displays the PsychoPy Builder interface for a file named 'production_auto.psyexp'. The interface is divided into three main panels:

- 1 The Routine panel:** Located at the top, it shows a timeline from 0 to 1 second. Two components are visible: 'instruction2' (represented by a large red 'T' icon) and 'key_resp_2' (represented by a keyboard icon). Both components are active throughout the 1-second duration.
- 2 The Flow panel:** Located at the bottom, it shows a sequence of routines: 'practice_introduction' (red box), 'trial1 (3.00s)' (green box) with a sub-routine 'pract_trial' (white box), 'main_instruction' (red box), 'trial2 (3.00s)' (green box) with a sub-routine 'main_trial' (white box), and 'the_end (2.00s)' (green box). Arrows indicate the flow between these routines.
- 3 The Component panel:** Located on the right side, it contains a 'Components' list with 'Favorites', 'Stimuli', 'Responses', 'Custom', and 'I/O' categories. The 'Favorites' section shows a keyboard icon, a large red 'T' icon, and a landscape image icon.

- The PsychoPy builder view comprises three panels: (1) **Routines**, (2) **Flow**, and (3) **Component panel**.

The *Routine* Panel

The Routine panel

1 Components

These tabs show Routines.

2

Text component

Keyboard component

practice_instruction the_end trial trial1 trial2

0 0.1 0.2 0.3 0.4 0.5 0.6 0.7 0.8 0.9 1 t (sec)

instruction2

_resp_2

outline loop

practice_instruction trial1 main_instruction trial2 the_end


pract_trial main_trial

① An experiment can have **many Routines**. This rating task has **five Routines**.

You can switch between your *Routines* by selecting the different tabs.


② The Routine shown here has a **Text** and **Keyboard component**.

The *Flow* Panel



- All experiments have exactly one **Flow**.
- The experiment proceeds from left to right, and each part of the *Flow* panel is executed in turn. That is, everything is run in the order in which it appears from left to right.
- The *Flow* can contain **Loops** controlling how a **Routine** (e.g. a trial) is repeated, both in terms of how many repeats are made and how things change from one trial to the next.

The *Components* panel



The Component panel

The PsychoPy builder view offers various components. Commonly-used components for linguistic experiments are as follows:

- 1 **Text Component** - Display text on the screen.
- 2 **Sound Component** - Play sounds.
- 3 **Keyboard Component** - Receive input from the keyboard.
- 4 **RatingScale Component** - Collect a numeric rating or a choice from a few alternatives, via the mouse, the keyboard or both.
- 5 **Code Component** - Insert short pieces of python code into your experiments (e.g. time stamp for the production task)

Names for the rating task


- **Everything in a PsychoPy experiment needs a unique name.**

E.g. if you have a *Routine* called 'pract_introduction' you can't have a *Text* component called 'pract_introduction'

- The name must:
 - contain only letters, numbers and underscores.
 - not contain spaces, punctuation or mathematical symbols.

Routine	pract_instruction	trial1	main_instruction	trial2	the_end
Loop		Pract_trial		main_trial	
Text component	instruction1	word1	instruction2	word2	text
		trial_number1		trial_number2	
		scale_msg1		Scale_msg2	
Keyboard component	key_resp_1		key_resp_2		
Sound component		sound_1		Sound_2	
Scale Rating					

Step 1: Create a folder to store experiment files




main_stimuli.xlsx

word	sound
light	sound/light.wav
loud	sound/loud.wav
side	sound/side.wav
sight	sound/sight.wav

practice_stimuli.xlsx


word	sound
cloud	sound/cloud.wav
clout	sound/clout.wav





Sound files using in the rating task are in the fold 'sound'.


- Create a folder named “Rating Task” on your computer to store experiment files.
- In the ranking task, we need two Excel files with names of words and auditory stimuli/sound files. (‘main_stimuli.xlsx’ and ‘practice_stimuli.xlsx’)
- We also need to create a folder named “sound” to store auditory stimuli.
- Finally, create a folder “data” in which an output file of this experiment will be automatically generated.

Step2: Alter experiment settings




 To add experiment info
 To delete experiment info

Name		Date Modified	Size
▶ data	✓	Oct 15, 2017, 11:50 PM	--
main_stimuli	✓	Sep 23, 2017, 4:03 PM	27 KB
practice_stimuli	✓	Sep 23, 2017, 4:03 PM	24 KB
rating.psyexp	✓	Oct 15, 2017, 11:48 PM	26 KB
▶ sound	✓	Sep 25, 2017, 9:04 PM	--


- 1 Click on  on the top of the screen for **experiment settings**.
- 2 Write an experiment name, e.g. “Rating Task”, and modify the experiment information (e.g. participant ID, gender, L1) by clicking +/- icons.
- 3 If you would like to change the forms of output files or the size of the window, go to the *Data* or *Screen* tab.
- 4 Save the PsychoPy file named “**Rating Task.psyexp**” in the same folder after setting up the rating task.

Step3: Create *Routines* in the *Flow*



- 1 Click on “Insert Routine” in the *Flow* panel to insert a new *Routine* and write down the name of the *new Routine*, or use the menu bar: Experiment > Insert *Routine* in *Flow* > New *Routine*.


Step4: Add the *Routines* to the *Flow*



Insert five *Routines* in the *Flow* panel

- Multiple *Routines* can then be combined in the *Flow* panel, which controls the order in which these occur and the way in which they repeat. For this rating task, **five** *Routines* in the *Flow* panel were inserted: **(1) Practice instruction, (2) trial1, (3) Main instruction, (4) trial2, and (5) “thank you” message** at the end.
- These are combined in the *Flow* panel so that the **practice instruction** comes first, followed by **trial1**, followed by the **main instruction** and **trial2**, and finally the **“thank you”** Routine comes last.

Step4: Insert *Loops* in the *Flow*



No. of repetitions

2 parameters

2 conditions

When inserting a *loop* into the *Flow* you can browse to find the file you wish to use for this.

word	sound
cloud	sound/cloud.wav
clout	sound/clout.wav

Loops control the repetition of *Routines* and the choice of stimulus parameters for each.

① Click on the “insert loop” button in the *Flow* panel to insert a loop and select the points where you want to start/finish.

- Loops can span across multiple *Routines*.
- Loops can nest (you can have loops around loops)

Loops and *Routines* can also be edited or removed from the *Flow* panel by clicking or right-clicking.

Common settings used by *Components*

instruction1 Properties

Basic | Advanced

Name: instruction1

Start: time (s) | 0.0 | Expected start (s)

Stop: duration (s) | | Expected duration (s)

Color: white | constant

Font: Arial | constant

Letter height: 0.1 | constant

Position [x,y]: (0, 0) | constant

Text: welcome.
Please read each word as it appears on the screen.
Press spacebar to begin.

Help | OK | Cancel

- 1 **Start time (seconds)** – the time after the start of the *Routine* that the stimulus will first appear.
- 2 **Duration (seconds)** – the length of time it will last. **If blank then the Component will go on indefinitely.**
- 3 **Font:** default font is “Arial”. If you have font issues, please try different fonts such as “Times New Roman” and “Fira Sans”.
- 4 **Position** – the position on the screen in the given unit. **[0,0] is the centre of the screen.**

Step 5: Add *Components* to the *Routine* [practice_instruction]

The screenshot shows the software interface with a timeline at the top and a flow diagram at the bottom. The timeline has a red box around the 'instruction1' and 'key_resp_1' components, with a red circle '1' above it. The flow diagram has a blue box around the 'practice_introduction' component, with a red circle '1' below it.



The screenshot shows the 'Text Properties' dialog box. A red arrow points to the 'duration (s)' field with the text 'Clear the duration'.

The screenshot shows the 'Keyboard Properties' dialog box. A red box highlights the 'Allowed keys' field, which contains '| space'.

2 Text properties

3 Keyboard properties

For the *Routine* [practice_instruction], a *Text* component and a *Keyboard* component are needed.

- 1 Select the *Routine* [practice_instruction] in the tab bar or in the *Flow* panel.
- 2 Click on  in the *Component* panel and fill out the *Text* properties: [In the *Basic* tab] Font: Arial, Color: white, Text: an instruction message is inserted, [In the *Advanced* tab] **Wrap width:\$ 2**
- 3 Click on  in the *Component* panel and fill out the *Keyboard* properties: Allowed key :\$ 'space', Store: nothing.

Step 5: Add *Components* to the *Routine* [Trial1]

The screenshot shows the PsychoPy Builder interface. At the top, the routine is named 'rating.psyexp'. Below the title bar, there are icons for file operations and a red circle with the number '1' next to the 'trial1' tab. The main area displays a timeline from 0 to 2.5 seconds. Components are plotted as horizontal bars: 'word1' (red 'T' icon) from 0 to 2.5s, 'trial_number1' (red 'T' icon) from 0 to 2.5s, 'sound_1' (speaker icon) from 1.0 to 2.5s, 'scale_msg1' (red 'T' icon) from 2.0 to 2.5s, and 'rating1' (rating scale icon) from 2.0 to 2.5s. Red circles with numbers 2 through 6 are placed over the component icons. At the bottom, the 'Flow' panel shows a sequence of boxes: 'practice_introduction', 'trial1' (containing 'pract_trial'), 'main_instruction', 'trial2' (containing 'main_trial'), and 'the_end (2.00s)'. The 'trial1' box is highlighted with a blue border and a red circle with the number '1'.

The screenshot shows the 'Basic' properties panel for a Text component named 'word1'. The 'Text' field contains '\$word' and is highlighted with a red box. The 'set every repeat' dropdown menu is also highlighted with a red box. Other properties include Start time (0.0), Stop duration (0.0), Color (white), Font (Arial), Letter height (0.3), and Position (0.0, 0.3).



The screenshot shows the 'Basic' properties panel for a Text component named 'trial_number1'. The 'Text' field contains the code 'str(\$pract_trial.thisN+1) + "/ " + str(\$pract_trial.nTotal)' and is highlighted with a red box. The 'set every repeat' dropdown menu is also highlighted with a red box. Other properties include Start time (0.0), Stop duration (0.0), Color (white), Font (Arial), Letter height (0.1), and Position (0.5, -0.8).

- ② Text properties (word1)
- ③ Text properties(trial_number1)



'set every repeat'

It will be updated every repeat of the Routine.


For the Routine [trial1], three *Text* components, a *Sound* component and a *RatingScale* component are needed.

- ① Select [trial1] in the tab, or in the *Flow* panel.
- ② Click on  in the *Component* panel and fill out the text properties (Font: Arial, Letter height: 0.3, Position: (0.0,0.3), Text: **\$word** (*the \$ symbol announces that this is not text)).
- ③ Click on  in the *Component* panel and fill out the text properties (Font: Arial, Letter height: 0.1 Text: **str(\$pract_trial.thisN+1) + " / " + str(\$pract_trial.nTotal)**)

Step 5: Add *Components* to the *Routine* [Trial1]



4 Sound properties (sound_1)





5 Text properties(scale_msg1)

'set every repeat'

It will be updated every repeat of the Routine.

For the Routine [trial1], three *Text* components and a *Sound* component and a *RatingScale* component are needed.

- 4 Click on  in the *Component* panel and fill out the sound properties (Start time: 1, Stop duration: blank, **sound:\$sound**)
- 5 Click on  in the *Component* panel and fill out the text properties (Font: Arial, Letter height: 0.1, Position: (0.-0.2), text: least accurate(1) most accurate(7))

Step 5: Add *Components* to the *Routine* [Trial1]

The screenshot shows the PsychoPy Builder interface. At the top, the title bar reads "rating.pyexp - PsychoPy Builder". Below it, a timeline for a routine is displayed with a time axis from 0 to 2.5 seconds. Components are placed on this timeline: "word1" (Text) at 0s, "al_number1" (Text) at 0s, "sound_1" (Sound) at 1s, "scale_msg1" (Text) at 2s, and "rating1" (Rating) at 2s. Each component is marked with a red circle containing a number from 2 to 6. Below the timeline, a routine loop diagram shows the sequence: "practice_introduction" (red box) -> "trial1" (red box, containing "pract_trial" in a white box) -> "main_instruction" (red box) -> "trial2" (red box, containing "main_trial" in a white box) -> "the_end (2.00s)" (green box). A blue box highlights the "trial1" component in the routine loop, with a red circle containing the number 1.

The screenshot shows the "Basic" properties panel for the "rating1" component. The "Name" field is "rating1". The "Start" field is "time (s)" with a value of "2". The "Stop" field is "condition". The "Visual analog scale" checkbox is unchecked. The "Category choices" field is empty. The "Scale description" field is empty. The "Lowest value \$" field is "1". The "Highest value \$" field is "7". The "Labels" field is empty. The "Marker start" field is empty. The "Marker type" field is "triangle". The "OK" button is highlighted in blue.


6 Rating properties (rating1)

For the *Routine* [trial1], three *Text* components and a *Sound* component and a *RatingScale* component are needed.


6 Click on  in the *Component* panel and fill out the rating scale properties (Start time: 2, Lowest value:\$ 1, Highest value:\$ 7)

- visual analog scale: the subject uses the mouse to position a marker on an unmarked line.
- category choices: choose among verbal labels (e.g. “True, False” or “Yes, No, Not sure”)
- scale description: used for numeric choices (e.g. 1 to 7 rating)

Step 5: Add *Components* to the *Routine* [main_instruction]



Screenshot in the PsychoPy Builder view




Screenshot in the experiment


Setting up the *Routine* [main_instruction] is the same as the *Routine* [practice_instruction].

- 1 Select [main_instruction] in the tab, or in the *Flow* panel.
- 2 Add a *Text* component (instruction2) to the *Routine* panel and fill out the *Text* properties.
- 3 Add a *Keyboard* component (key_resp_2) to the *Routine* panel and fill out the *Keyboard* properties.

Step 5: Add *Components* to the *Routine* [trial2]



Screenshot in the PsychoPy Builder view




Screenshot in the experiment

Setting up the *Routine* [trial2] is the same as the *Routine* [trial1].

- 1 Select [trial2] in the tab, or in the *Flow* panel.
- 2 3 5 Add three *Text* components (word2, trial_number2, scale_msg2) in the *Routine* panel and fill out the *Text* properties for each.
- 4 6 Add a *Sound* component (sound_2) and a *RatingScale* component (rating2) in the *Routine* panel and fill out the *sound* properties and *rating scale* properties.


Step 5: Add *Components* to the *Routine* [the_end]




Screenshot in the PsychoPy Builder view




Screenshot in the experiment

- 1 Select the *Routine* [the_end] in the tab, or in the *Flow* panel.
- 2 Click on  In the Component panel and fill out the *Text* properties (Stop duration:2, Letter height:\$0.1 Position\$(0,0), Wrap width\$ 2)

Step 6: Run the experiment



Screenshot in the PsychoPy Builder view



Screenshot in the experiment


- 1 To run an experiment, either press **the green button** with the running man icon or press Ctrl (Command) + R
- 2 Fill out the pop-up window for the participant information and start running the rating experiment.

Analyze your data

- PsychoPy saves several data files for different uses: a Microsoft Excel (spreadsheet) file, a ‘psydat’ file, and a ‘log’ file.

- To find these

- Go to the folder where you saved the experiment.
- There is a folder inside that called “data”.
- Inside the data folder will be a Microsoft Excel file named by your username and the date.



- E.g. Output data file from the ranking task in which a participant (Gender: F, L1: Korean) rates the accuracy of sounds on a scale of 7.

sound	word	pract_trial.th	pract_trial.th	pract_trial.th	pract_trial.th	main_trial.th	main_trial.th	main_trial.th	main_trial.th	rating1.respc	rating1.rt	rating2.respc	rating2.rt	participant	gender	frameRate	expName	L1	date
sound/clout.wav	clout	0	0	0	1					4	1.871			1	f	59.8362255	rating	K	2017_Oct_18_0055
sound/cloud.wav	cloud	0	1	1	0					6	1.887			1	f	59.8362255	rating	K	2017_Oct_18_0055
sound/sight.wav	sight					0	0	0	3			4	2.037	1	f	59.8362255	rating	K	2017_Oct_18_0055
sound/loud.wav	loud					0	1	1	1			6	4.138	1	f	59.8362255	rating	K	2017_Oct_18_0055
sound/side.wav	side					0	2	2	2			7	1.787	1	f	59.8362255	rating	K	2017_Oct_18_0055
sound/light.wav	light					0	3	3	0			2	1.687	1	f	59.8362255	rating	K	2017_Oct_18_0055
sound/light.wav	light					1	0	4	0			6	1.721	1	f	59.8362255	rating	K	2017_Oct_18_0055
sound/loud.wav	loud					1	1	5	1			5	1.387	1	f	59.8362255	rating	K	2017_Oct_18_0055
sound/side.wav	side					1	2	6	2			3	1.837	1	f	59.8362255	rating	K	2017_Oct_18_0055
sound/sight.wav	sight					1	3	7	3			1	2.021	1	f	59.8362255	rating	K	2017_Oct_18_0055

- Based on the output file, you can analyze participants’ accuracy rate and response time on each sound.

References & Useful information

- **Na-Young Ryu. 2017.** Psychopy tutorials for common linguistic experiments.
<http://individual.utoronto.ca/rrrnny/experiments.html>
- **Peirce, JW (2007).** PsychoPy - Psychophysics software in Python. *J Neurosci Methods*, 162(1-2):8-13
- **PsychoPy:**
<http://www.psychopy.org>
- **RatingScale & RatingScale Component**
<http://www.psychopy.org/api/visual/ratingscale.html>
<http://www.psychopy.org/builder/components/ratingscale.html>
- **YouTube tutorials:**
<https://www.youtube.com/watch?v=VV6qhuQgsil>
<https://www.youtube.com/watch?v=WKJBbVnQkjo>
- **Sound issues:** When PsychoPy does not work properly due to the sound device, go to PsychoPy Preferences > General > audioDevice (built-in Output).

